

## 40 RU ERK Series Rack, 25 Inches Deep, Configured for AV **SKU: ERK-4025-AV**

---



An economical standalone rack with solid sides, the ERK Series can also be ganged to create partitioned multi-bay installations for thermal management control, and security. It is seismically certified to protect your components when installed with ERK-Z4 brackets.

- 40RU and 25" Deep
- Fully welded construction for maximum strength
- Rack sides include top and bottom venting
- Convenient lacing points and slotted rail brackets for cable management
- Standard front and rear adjustable 10-32 threaded rackrail with numbered spaces
- Includes key-locked standard rear door and solid front door
- Comes configured with integrated fan top, vent blockers, and rear door vent
- Includes (1) LACE-OP lacer strip, (4) straight and (2) offset lacer bars and (12) Velcro straps
- Includes (2) PDT-1020C-NS corded power strips (20A, 10 outlet) corded vertical power strips
- Includes (100) 10-32 threaded rack screws

## Specifications

---

## Dimensions &

## Measurements

|                  |                     |
|------------------|---------------------|
| CFM              | 285                 |
| Depth            | 25 in (63.5 cm)     |
| Height           | 74.13 in (188.3 cm) |
| Panel Width      | 19 in (48.3 cm)     |
| Rack Units       | 40 RU               |
| Shipping Weight  | 208 lbs (94.4 kg)   |
| UL Load Capacity | 2500 lbs (1,134 kg) |
| Usable Depth     | 23.47 in (59.6 cm)  |
| Usable Height    | 70.13 in (178.1 cm) |
| Width            | 22 in (55.9 cm)     |

## Characteristics & Features

|                               |                           |
|-------------------------------|---------------------------|
| Color                         | Black                     |
| Federal Ops Country of Origin | USA                       |
| Finish                        | Black Wrinkle Powder Coat |
| Material                      | Steel                     |
| Product Configuration         | Pre-Configured for Pro AV |
| Rack Rail Type                | 10-32                     |
| Rack Type                     | Pre-Configured            |
| Rear Door                     | Yes                       |
| Seismic Rated                 | Yes                       |
| Ships Flat                    | No                        |
| UPC                           | 656747095153              |

## Certifications & Warranties

Certifications

ASCE

Seismic Load Capacity

591 lbs (268.1 kg)

---

Source: [https://www.legrandav.com/products/racks/floor\\_standing/erk\\_av\\_rack/erk-4025-av](https://www.legrandav.com/products/racks/floor_standing/erk_av_rack/erk-4025-av)