

BP-920 Y

RECHARGEABLE LITHIUM-ION BATTERY



The BP-920 Lithium-ion battery is designed for exclusive use with the Chairman units TS-821 and TS-921, and the Delegate units TS-822 and TS-922 of the TOA Infrared conference systems.

Key features

Specifications

| | |
|-----------------------|--|
| Nominal Voltage | 7.4 V DC |
| Capacity | 1700 mAh |
| Operating Temperature | 0 °C to +40 °C (32 °F to 104 °F) |
| Operating Humidity | 90 %RH or less (no condensation) |
| Dimensions | 71.6 (W) x 20.4 (H) x 37.6 (D) mm (2.82" x 0.8" x 1.48") |
| Weight | 82 g (0.18 lb) |

A&E specifications

Lithium-ion battery shall be rechargeable and supply DC power to a TOA's infrared wireless conference unit.

Nominal voltage: 7.4 V

Dimensions (W x H x D): 71.6 x 20.4 x 37.6 mm (2.82" x 0.8" x 1.48")

Weight: 82 g (0.18 lb.)

The infrared wireless conference unit shall be the TOA model TS-821, TS-822, TS-921 or TS-922.

Associated Product: BC-900/BC-920 battery charger manufactured by TOA Corporation

Manufacturer: TOA

Model: BP-920